

TUBES La Cazadora.

141 mm

106 mm

80 mm

60 mm

10 ml (0.33 Fl Oz)

15 ml (0.5 Fl Oz)

22 ml (0.75 Fl Oz)

30 ml (1.0 Fl Oz)

197 mm / 170 ml (6.0 Oz FI)

180 mm / 160 ml (5.5 Oz FI)

165 mm / 150 ml (5.0 Oz FI)

155 mm / 135 ml (4.5 Oz FI)

140 mm / 120 ml (4.0 Oz FI)

125 mm / 100 ml (3.5 Oz Fl)

115 mm / 90 ml (3.0 Oz FI)

100 mm / 75 ml (2.5 Oz FI)

82 mm / 60 ml (2.0 Oz FI)

170 mm / 230 ml (8.0 Fl Oz)

145 mm / 190 ml (6.5 Fl Oz)

120 mm / 150 ml (5.0 Fl Oz)

110 mm / 130 ml (4.5 Fl Oz)

DIAMETER 50 mm

M21 Orifices: 3,5.8 mm DIAMETER 40 mm M21 Orifices: 3,5,8 mm

DIAMETER 35 mm

M15 Orifices: 1,3,5.8 mm

DIAMETER 30 mm M15 Orifices:

1,3,5,8 mm

25 mm M11 Orifices:

1,3,5 mm

140 mm

122 mm

110 mm 40 ml (1.25 Fl Oz)

44 ml (1.5 Fl Oz)

30 ml (1.0 Fl Oz)

73 mm / 20 ml (0.75 Fl)

50 ml (1.75 Fl Oz)

DIAMETER 25 mm DISPENSER TIP

TUBE ORIFICE SIZE

140 mm

50 ml (1.75 Fl Oz)

44 ml (1.5 Fl Oz)

40 ml (1.25 Fl Oz)

30 ml (1.0 Fl Oz)

73 mm / 20 ml (0.75 Fl Oz)

110 mm

DIAMETER 19 mm M11 Orifices: 1,3,5 mm

DIAMETER 19 mm

30 ml (1.0 Fl Oz)

106 mm

80 mm

60 mm

10 ml (0.33 Fl Oz)

15 ml (0.5 Fl Oz)

22 ml (0.75 Fl Oz)

DIAMETER 19 mm DISPENSER Orifice:

141 mm 141 mm

106 mm

60 mm

10 ml (0.33 Fl Oz)

22 ml (0.75 Fl Oz)

141 mm 30 ml (1.0 Fl Oz) 30 ml (1.0 Fl Oz)

106 mm

22 ml (0.75 Fl Oz)

80 mm 15 ml (0.5 Fl Oz) 15 ml (0.5 Fl Oz)

80 mm

60 mm 10 ml (0.33 Fl Oz)

DIAMETER 19 mm SLANTED APPLICATOR Orifice:





180 mm / 250 ml (8.5 Fl Oz)

165 mm / 220 ml (7.5 Fl Oz)

155 mm / 200 ml (7.0 Fl Oz)

140 mm / 180 ml (6.0 Fl Oz)

130 mm / 160 ml (5.5 Fl Oz)

180 mm / 135 ml (4.5 Fl Oz) 160 mm / 115 ml (4.0 Fl Oz) 150 mm / 100 ml (3.5 Fl Oz) 150 mm / 80 ml (2.75 FI Oz)

140 mm / 75 ml (2.5 FI Oz) 135 mm / 90 ml (3 Fl Oz) 135 mm / 70 ml (2.25 Fl Oz)

120 mm / 80 ml (2.75 Fl Oz) 115 mm / 75 ml (2.5 Fl Oz)

95 mm / 60 ml (2.0 Fl Oz)

75 mm / 45 ml (1.5 FI Oz)

110 mm / 50 ml (1.75 FI Oz)

95 mm / 45 ml (1.50 Fl Oz)

118 mm / 60 ml (2.0 FI Oz)


85 mm / 40 ml (1.25 Fl Oz)

70 mm / 30 ml (1.0 FI Oz)

DIAMETER

Orifices: 1 mm

TWIST-OFF (MARIPOSA)



DIAMETERS AND THREADS



























I AIRLESS PUMP



MORE



SEALED



ORIENTED CAP



PRE-PRINT



DECORATED CAPS



SHRINK SLEEVE



OFFSET

1 to 8 printing stations + varnishCMYK or direct inks150 lpi print resolutionStandard printing



SILKSCREEN

1 to 6 inks + varnish
Raised inks effect
Excellent opacity over colored tubes
125 to 133 lpi print resolution



FLEXOGRAPHY

Higher resolution
Photographic images - High definition
Hybrid flexo + silkscreen printing
175 lpi print resolution



SPOT GLOSS VARNISH

Decoration process

Raised gloss finish over specific areas Highlights elements within the design



HOT STAMPING

Decoration process

Gold, Silver or Holographic foils
Unique decorations
Creates exclusive designs
Gloss or semi matte finish






Soft touch








ARTWORK



SPECIFICATIONS FOR DIGITAL ART FILES:

- Macintosh software.
- Illustration files, Adobe Illustrator (outlined/vector texts) and/or complete font folders.
- Image files, Adobe Photoshop, file extensions PSD, EPS, TIFF, 100% actual size, high resolution 300 dpi, CMYK process color model, layers, paths and direct channels.
- 8 direct inks as maximum (Pantone solid color book) + varnish finish.
- Include PDF file for proper preview of artwork file.






Bicolor

BICOLOR

Monolayer or Co-extruded Manufactured with two colors, one on the inner layer and another on the outer layer.

*This structure is compatible with PCR.




Monolayer

MONOLAYER

Composed of two layers of HDPE or LDPE. Tube with higher permeability.

*This structure is compatible with PCR.



Softouch

SOFT TOUCH

Without Varnish

Special finish with a smooth and velvety texture, achieved through a coating or the use of special materials in the outer layer.

Ergonomic, less slippery feel to the touch.

*Only available in diameters: Ø50, Ø40, and Ø35.



CO-EXTRUDED

Composed of 5 layers of different materials.

HDPE/LDPE + Adhesive + Barrier + Adhesive + HDPE/LDPE
Tube with higher permeability.

*This structure is compatible with PCR.

IT IS THE BUYER'S RESPONSIBILITY TO ENSURE THE CORRECT COMPATIBILITY
BETWEEN THEIR PRODUCT AND THE PACKAGING,
AS WELL AS THE PROPER HANDLING, USAGE, STORAGE,
AND FILLING OF THE SAME.





La Cazadora SUSTAINABLE


PACKAGING





FLIP TOP LIGHT HDPE CAP 35 M15

- 30% Less plastic
- 30% Lighter than conventional ones
- 100% Monomaterial packaging









MONOMATERIAL
PACKAGING (PE CAPS)

La Cazadora CERTIFICATIONS AND RECOGNITIONS:









EEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE

